

SCREWDRIVERS

Power. Speed. Finesse.

Snap-on® Instinct® screwdrivers offer a unique combination of power, comfort and versatility in the most basic of hand tools.

Multi-faceted design — Unique handle geometry provides excellent gripping surface and superior turning force.

Inner core — Maximizes torque between the handle and the blade.

Middle layer — Tough, brightly-colored material provides impact and solvent resistance.

Outer layer — Textured material gives you grip, comfort and torque—even in the greasiest shop environments.

Hard or soft grip handle design — Choose from an ultra-comfortable soft grip or a grease-resistant hard grip.

Seven tip types — Snap-on screwdrivers are available in seven different tip profiles so you can handle a wide variety of fastener types.

It's All About the Details.

Snap-on screwdrivers are built with exclusive features that give you superior durability and performance.

Trans-Drive™ — This unique ratcheting mechanism uses an advanced pawl design based on transmission ring gear principles to deliver outstanding power and torque.

Shanks — Round shanks are made from special alloy steel with few impurities for strength and lasting durability.



Soft Grip Handle Combination Sets

Standard Flat Tip/Phillips® Combination Screwdriver Sets

	Set Contains:	Stock No.	Handle	SGDX80BR			SGDX80BO			SGDX80BG			SGDX60BR			SGDX60BO			SGDX60BG		
				Red	Orange	Green	Red	Orange	Green	Red	Orange	Green	Red	Orange	Green	Red	Orange	Green	Red	Orange	Green
Flat Tip Standard	SHD1*		Hard	•	•	•															
	SGD2B		Soft	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	SGD4B		Soft	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	SGD6B		Soft	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	SGD8B		Soft	•	•	•															
Phillips Standard	SHDP22IR*		Hard	•	•	•															
	SGDP31IRB		Soft	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	SGDP42IRB		Soft	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	SGDP63IRB		Soft										•	•	•	•	•	•	•	•	•

*Does not include hex bolster.

Soft Grip Handle Colors

		
Red	Orange	Green
R	O	G

ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS



SGDX40BR



SGDX40BO



SGDX40BG



SGDX80BR



SGDX60BR



SGDX80BO



SGDX60BO



SGDX80BG



SGDX60BG

Cabinet, Mini Tip, Extra Long Flat Tip/Phillips Screwdriver Sets

	Set Contains:	Stock No.	SGDXL80BR			SGDXL80BO			SGDXL80BG			SGDX40BR			SGDX40BO			SGDX40BG			SGDXXL20BR		
			Red	Orange	Green	Red	Orange	Green	Red	Orange	Green	Red	Orange	Green	Red	Orange	Green	Red	Orange	Green	Red	Orange	Green
Flat Tip Cabinet	SGD146B		•	•	•																		
	SGD480B		•	•	•																		
	SGD4120B		•	•	•																		
	SGD4160B		•	•	•																		
Phillips Cabinet	SGDP61B		•	•	•																		
	SGDP82B		•	•	•																		
	SGDP122B		•	•	•																		
	SGDP162B		•	•	•																		
Flat Tip Mini-Tip	SGD304B								•	•	•												
	SGD306B								•	•	•												
Phillips Mini-Tip	SGDP300B								•	•	•												
	SGDP301B								•	•	•												
Extra Long	SGD424B																					•	
	SGDP242B																					•	

Soft Grip Handle Colors

		
Red	Orange	Green
R	O	G

ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS




SGDXL80BR



SGDXL80BO



SGDXL80BG



SGDXXL20BR



WARNING



- Do not use screwdrivers as prybars, chisels or punches
- Read safety precautions on pages W1 to W4

SCREWDRIVERS

Hard Grip Handle Combination Sets



SHDX80R

SHDX60R



SHDX800

SHDX600




SHDX80G

SHDX60G



GSHDX80R



SHDXL800

Standard Length Flat Tip/Phillips® Combination Screwdriver Sets

Set Contains:	Stock No.	SHDX80R	SHDX800	SHDX80G	SHDX60R	SHDX600	SHDX60G
		Red	Orange	Green	Red	Orange	Green
Flat Tip Standard	SHD1*	•	•	•			
	SHD2	•	•	•	•	•	•
	SHD4	•	•	•	•	•	•
	SHD6	•	•	•	•	•	•
	SHD8	•	•	•			
	SHD10R						
Phillips Standard	SHD22IR*	•	•	•			
	SHD31IR	•	•	•	•	•	•
	SHD42IR	•	•	•	•	•	•
	SHD62IR						
	SHD63IR				•	•	•
	SHD64IR						

*Does not include hex bolster.

Hard Grip Handle Colors

Red	Orange	Green
R	O	G
ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS		



SHDX40R



SHDX400



SHDX40G

Industrial Finish Shank, Cabinet and Mini Tip Flat Tip/Phillips Screwdriver Sets

Set Contains:	Stock No.	GSHDX80R	SHDXL800	SHDX40R	SHDX400	SHDX40G
		Red	Orange	Red	Orange	Green
Flat Tip Industrial Finish Shank	GSHD1*	•				
	GSHD2	•				
	GSHD4	•				
	GSHD6	•				
	GSHD800	•				
	GSHDP22IR*	•				
Phillips Tip Industrial Finish Shank	GSHDP31	•				
	GSHDP42	•				
	GSHDP162	•				
Flat Tip Cabinet	SHD146		•			
	SHD480		•			
	SHD4120		•			
	SHD4160		•			
Phillips Tip Cabinet	SHDP61		•			
	SHDP82		•			
	SHDP122		•			
	SHDP162		•			
Flat Tip Mini Tip	SHD304			•	•	•
	SHD306			•	•	•
Phillips Tip Mini Tip	SHDP300			•	•	•
	SHDP301			•	•	•


*Does not include hex bolster.

Hard Grip Handle Colors

Red	Orange	Green
R	O	G
ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS		

SCREWDRIVERS

Soft Handle Flat Tip



SGD2BR



SGD480BR

Standard

Red	Orange	Green	A	B	C	D
SGD2BR	SGD2BO	SGD2BG	.035	7/32	2 13/16	6 15/16
SGD4BR	SGD4BO	SGD4BG	.040	1/4	3 15/16	8 27/32
SGD6BR	SGD6BO	SGD6BG	.050	5/16	5 15/16	10 27/32
SGD8BR	SGD8BO	SGD8BG	.055	3/8	7 29/32	13 13/32
SGD10BR	SGD10BO	SGD10BG	.055	3/8	9 15/16	15 7/16

Cabinet

Red	Orange	Green	A	B	C	D
SGD146BR	SGD146BO	SGD146BG	.030	3/16	5 13/16	10 1/8
SGD153BR			.050	3/8	2 3/4	8 1/4
SGD480BR	SGD480BO	SGD480BG	.032	1/4	7 15/16	12 3/4
SGD4100BR	SGD4100BO	SGD4100BG	.032	1/4	9 15/16	14 3/4
SGD4120BR	SGD4120BO	SGD4120BG	.032	1/4	11 15/16	16 3/4
SGD4160BR	SGD4160BO	SGD4160BG	.032	1/4	15 15/16	20 3/4



SGD306BR



SGD424BR

Mini Tip

Red	Orange	Green	A	B	C	D
SGD304BR	SGD304BO	SGD304BG	.020	1/8	3	5 7/8
SGD306BR	SGD306BO	SGD306BG	.030	3/16	3	5 7/8

Extra Long

Red	A	B	C	D
SGD424BR	.046	5/16	24	28 3/4

SGDS50BR Flat Tip Screwdriver Set. Includes SGD2BR, SGD4BR and SGD6BR Flat Tip Screwdrivers plus SGD304BR and SGD306BR Miniature Flat Tip Screwdrivers (5 pcs)



SGDS50BR

Hard Handle Flat Tip



SHD6R



GSHD4R

Standard

Red	Orange	Green	A	B	C	D
SHD1R*	SHD10*	SHD1G*	.040	1/4	1 7/8	3 3/4
SHD2R	SHD20	SHD2G	.035	7/32	2 13/16	6 15/16
SHD4R	SHD40	SHD4G	.040	1/4	3 15/16	8 27/32
SHD6R	SHD60	SHD6G	.050	5/16	5 15/16	10 27/32
SHD8R	SHD80	SHD8G	.055	3/8	7 29/32	13 13/32
SHD10R	SHD100	SHD10G	.055	3/8	9 15/16	15 7/16

*Does not include hex bolster.

Industrial Finish Shank

Industrial/Red	A	B	C	D
GSHD1R*	.037	1/4	1 1/2	3 3/4
GSHD2R	.032	7/32	2 7/8	7
GSHD4R	.037	1/4	4	8 7/8
GSHD6R	.046	5/16	6	10 27/32
GSHD8R	.050	3/8	8	13 13/32

*Does not include hex bolster.



SHD304R



SHD4160O

Mini Tip

Red	Orange	Green	A	B	C	D
SHD304R	SHD304O	SHD304G	.018	1/8	3	5 7/8
SHD306R	SHD306O	SHD306G	.030	3/16	3	5 7/8

Cabinet

Orange	A	B	C	D
SHD146O	.030	3/16	6	10 1/8
SHD480O	.032	1/4	8	12 3/4
SHD4120O	.032	1/4	12	16 3/4
SHD4160O	.032	1/4	16	20 3/4



WARNING



- Do not use screwdrivers as prybars, chisels or punches
- Read safety precautions on pages W1 to W4

SCREWDRIVERS

Flat Tip/Pocket and Spark Test



■ Pocket

SDD2040

Stock No.	Type	Description	A	D
SDD2040	Pocket	Screwdriver w/ Pocket Clip	.025	4 3/4
SDD2240*	Pocket	Distributor Screwdriver	.025	4 3/4


*Magnet on handle.



SDD214

■ Spark Test

Stock No.	Type	Description	A	D
SDD214	Spark Test	Screwdriver with Pocket Clip	.025	5 1/8



Soft Handle Phillips® INSTINCT™



SGDP42IRBR



SGDP300BR



SGDP50BR



SGDP82BR



SGDP242BR



SGDDP50BR

Standard

Red	Orange	Green	A	B	C	D
SGDP31IRBR	SGDP31IRB0	SGDP31IRBG	#1	3/16	2 31/32	7 1/8
SGDP42IRBR	SGDP42IRB0	SGDP42IRBG	#2	1/4	3 31/32	8 7/8
SGDP63IRBR	SGDP63IRB0	SGDP63IRBG	#3	5/16	5 29/32	10 13/16
SGDP64IRBR	SGDP64IRB0	SGDP64IRBG	#4	3/8	6	11 1/2

Mini Tip

Red	Orange	Green	A	B	C	D
SGDP300BR	SGDP300B0	SGDP300BG	#0	1/8	3	6
SGDP301BR	SGDP301B0	SGDP301BG	#1	3/16	3	6

SGDP50BR Phillips Tip Screwdriver Set.

Includes SGDP31IRBR, SGDP42IRBR and SGDP63IRBR Phillips Tip Screwdrivers plus SGDP300BR and SGDP301BR Miniature Phillips Tip Screwdrivers (5 pcs).

Cabinet Type

Red	Orange	Green	A	B	C	D
SGDP82BR	SGDP82B0	SGDP82BG	#2	1/4	8	12 7/8
SGDP61BR	SGDP61B0	SGDP61BG	#1	3/16	6	10 1/4
SGDP101BR	SGDP101B0	SGDP101BG	#1	3/16	10	14 1/8
SGDP102BR	SGDP102B0	SGDP102BG	#2	1/4	9 3/8	14 1/4
SGDP122BR	SGDP122B0	SGDP122BG	#2	1/4	12	16 3/4
SGDP162BR	SGDP162B0	SGDP162BG	#2	1/4	16	20 3/4

Extra Long

Red	A	B	C	D
SGDP242BR	#2	5/16	24	28 3/4

Diamond Tip

- Diamond particles "bite" into fasteners which minimizes slipping
- Diamond particles are extremely hard for long lasting performance and minimal wear

SGDDP50BR
Set
Contains:

Red	A	B	C	D	Blade	
SGDDP31IRBR	#1	.197	3	7 5/32	SSDDP31RB	•
SGDDP42IRBR	#2	.236	4	8 29/32	SSDDP42RB	•
SGDDP61IRBR	#1	.197	6	10 5/32	SSDDP61RB	•
SGDDP62IRBR	#2	.236	6	10 29/32	SSDDP62RB	•
SGDDP63IRBR	#3	.315	5 3/4	10 5/8	SSDDP63RB	•



Hard Handle *Phillips*

Red	Orange	Green	A	B	C	D
SHDP22IRR*	SHDP22IRO*	SHDP22IRG*	#2	1/4	1 5/8	3 1/2
SHDP31IRR	SHDP31IRO	SHDP31IRG	#1	3/16	2 31/32	7 1/8
SHDP42IRR	SHDP42IRO	SHDP42IRG	#2	1/4	3 31/32	8 7/8
SHDP62IRR	SHDP62IRO	SHDP62IRG	#2	1/4	6	10 13/32
SHDP63IRR	SHDP63IRO	SHDP63IRG	#3	5/16	5 29/32	10 13/16
SHDP64IRR	SHDP64IRO	SHDP64IRG	#4	3/8	6	11 1/2

*Does not include hex bolster.



Standard/Industrial Finish Shank


Industrial/Red	A	B	C	D
GSHDP22IRR*	#2	1/4	1 1/2	3 3/4
GSHDP31R	#1	3/16	3	7 1/4
GSHDP42R	#2	1/4	4	8 7/8

*Does not include hex bolster.



Cabinet Type

Chrome/Orange	A	B	C	D
SHDP610	#1	3/16	6	10 1/4
SHDP820	#2	1/4	8	12 7/8
SHDP1220	#2	1/4	12	16 3/4
SHDP1620	#2	1/4	16	20 3/4



Phillips/Instinct® Hard Handle/Electronic Service



SHDP300R



SHDP2040



Mini Tip

- See flat tip mini drivers and 4 piece combination Phillips/flat tip sets

Orange	Red	Green	A	B	C	D
SHDP3000	SHDP300R	SHDP300G	#0	1/8	3	5 13/16
SHDP3010	SHDP301R	SHDP301G	#1	3/16	3	5 13/16



Pocket

Orange	A	D	B	C
SHDP2040	#1	4 7/8	1/8	2

Soft rip (Blue-Point®)



BSGD7



BSGDP52



BSGD7X70

Flat Tip

Stock No.	Tip Size	Blade Length, inches	Length, inches
BSGD3	1/8	3	6 1/2
BSGD4	7/32	5	9
BSGD5	1/4	6	10 1/4
BSGD6	5/16	7	11 1/4
BSGD7	3/8	8	12 3/8



Standard *Phillips*

Stock No.	Tip Size	Blade Length, inches	Length, inches
BSGDP41	#1	4	8
BSGDP52	#2	5	9 1/4

Soft rip Combination Sets

	Stock No.	Set Contains:
Flat Tip	BSGD3	•
	BSGD4	•
	BSGD5	•
	BSGD6	•
	BSGD7	•
Phillips	BSGDP41	•
	BSGDP52	•



WARNING



- Do not use screwdrivers as prybars, chisels or punches
- Read safety precautions on pages W1 to W4

SCREWDRIVERS

Electronic Service

Electronic Miniature

- Rotating handle mechanism ideal for precise, detailed electronics work
- Blades manufactured to exacting tolerances from special heat treated alloy steel
- Blade tip finish is industrial black



SGDE70



Flat/Phillips®

Set
Contains:

SGDE70

Stock No.	A	B	C	D	
SGDE215	1.5	3/32	2	5 3/4	•
SGDE220	2.0	3/32	2	5 3/4	•
SGDE225	2.5	3/32	2	5 3/4	•
SGDE230	3.0	1/8	2	5 3/4	•
SGDEP200	#00	1/8	2	5 3/4	•
SGDEP20	#0	1/8	2	5 3/4	•
SGDEP21	#1	3/16	3	6 1/2	•



SGDEH70



Hex/Miniature

Set
Contains:

SGDEH70

Stock No.	A	B	C	D	
SGDEH304	1/16	3/32	2	5 1/2	•
SGDEH306	3/32	1/8	3	6 1/2	•
SGDEH307	7/64	3/16	3	6 1/2	•
SGDEH315	1.5 mm	3/32	2	5 1/2	•
SGDEH320	2.0 mm (5/64)	3/32	2	5 1/2	•
SGDEH325	2.5 mm	3/32	3	6 1/2	•
SGDEH330	3.0 mm	3/16	3	6 1/2	•

Blow molded case included.



SSDEP61C

Electronic Thin Blade

- Recessed ends for fingertip pressure


Stock No.	A	B	C	D
SSDE42C	.018 x 1/8	1/8	2	5 5/16
SSDE43C	.018 x 1/8	1/8	3	6 5/16
SSDE44C	.018 x 1/8	1/8	4	7 5/16
SSDE46C	.018 x 1/8	1/8	6	9 5/16
SSDE48C	.018 x 1/8	1/8	8	11 5/16
SSDE63C	.030 x 3/16	3/16	3	9 9/16
SSDE64C	.028 x 3/16	3/16	4	7 9/16
SSDE66C	.030 x 3/16	3/16	6	6 9/16
SSDE68C	.028 x 3/16	3/16	8	11 9/16
SSDE610C	.030 x 3/16	3/16	10	13 9/16
SSDEP30C	#0	1/8	3	6 3/8
SSDEP31C	#1	3/16	3	6 5/8
SSDEP60C	#0	1/8	6	9 3/8
SSDEP61C	#1	3/16	6	9 5/8



SSDE33C

Potentiometer Adjuster

Stock No.	A	B	C	D
SSDE33C	.015 x 3/32	3/32	3	5 9/16



SGDET70



Set
Contains:

SGDET70

Stock No.	A	B	C	D	
SGDET26	T6	1/8	2	5 1/2	•
SGDET27	T7	1/8	2	5 1/2	•
SGDET28	T8	1/8	2	5 1/2	•
SGDET29	T9	1/8	2	5 1/2	•
SGDET210	T10	1/8	2	5 1/2	•
SGDET215	T15	3/16	3	6 1/2	•
SGDET220	T20	3/16	3	6 1/2	•

Blow molded case included.

Torx® Electronic Miniature/Long

- Extra long shanks for improved reach
- Small diameter shanks provide excellent clearance in tight applications
- Rotating handle mechanism for easy turning, important when working on detailed electronics work
- Bimold handle for a comfortable, nonslip gripping surface

Set
Contains:

SGDEL40

Stock No.	A	B	C	D	
SGDEL8		1/8	8	11 3/8	•
SGDEL10		3/16	10	13 3/8	•
SGDELP8	#0	1/8	8	11 3/8	•
SGDELP10	#1	3/16	10	13 3/8	•



SGDEL40

Pozidriv® Instinct® Hard Handle

Pozidriv/Hard Instinct Handle

- Walls on tips are less tapered than Phillips® tips
- Tips have wedges for a tight fit on Pozidriv fasteners
- Phillips tip drivers should not be used on Pozidriv fasteners (and vice versa), as they will ride out of the recess and round tool and screw recess corners

Set
Contains:

SHDZ40R

Stock No.	A	B	C	D	
SHDZ22R	#2	1/4	1 1/2	3 3/4	
SHDZ31R	#1	3/16	3	7 1/4	•
SHDZ42R	#2	1/4	4	8 7/8	•
SHDZ63R	#3	5/16	6	10 7/8	•
SHDZ84R	#4	3/8	8	13 7/16	•



SHDZ40R

Torx Tip/Instinct Soft Handle

Torx Standard

- Designed for internal type Torx fasteners used in automotive and appliance industries

Set
Contains:

SGDTX90BR

SGDTX50BR

Stock No.	A	B	C	D		
SGDTX38BR	T8	3/16	3	7 1/4	•	
SGDTX310BR	T10	3/16	3	7 1/4	•	
SGDTX315BR	T15	3/16	3	7 1/4	•	•
SGDTX320BR	T20	3/16	3	7 1/4	•	•
SGDTX425BR	T25	1/4	4	8 7/8	•	•
SGDTX427BR	T27	1/4	4	8 7/8	•	•
SGDTX430BR	T30	1/4	4	8 7/8	•	•
SGDTX640BR	T40	5/16	6	10 7/8	•	
SGDTX645BR	T45	5/16	6	10 7/8	•	



SGDTX90BR




WARNING



- Do not use screwdrivers as prybars, chisels or punches
- Read safety precautions on pages W1 to W4

SCREWDRIVERS

Torx® Tip/Instinct® Soft Handle



SGTX40BR



SGTX40BG



SGTX40BO



SGDTRX50BR

Torx Mini Tip

- Designed for internal type Torx fasteners used in automotive and appliance industries

Stock No.	Color	A	B	C	D	Set Contains:		
						SGTX40BR	SGTX40BG	SGTX40BO
SGDT308BR	Red	T8	3/16	3	5 7/8	•		
SGDT308BG	Green	T8	3/16	3	5 7/8		•	
SGDT308BO	Orange	T8	3/16	3	5 7/8			•
SGDT310BR	Red	T10	3/16	3	5 7/8	•		
SGDT310BG	Green	T10	3/16	3	5 7/8		•	
SGDT310BO	Orange	T10	3/16	3	5 7/8			•
SGDT315BR	Red	T15	3/16	3	5 7/8	•		
SGDT315BG	Green	T15	3/16	3	5 7/8		•	
SGDT315BO	Orange	T15	3/16	3	5 7/8			•
SGDT320BR	Red	T20	3/16	3	5 7/8	•		
SGDT320BG	Green	T20	3/16	3	5 7/8		•	
SGDT320BO	Orange	T20	3/16	3	5 7/8			•




SGDTRXL70BR

Tamper Resistant

- Hole in the end of each bit tip fits over center peg in Torx tamper resistant fasteners

Red	A	B	C	D	Set Contains:
					SGDTRX50BR
SGDTRX315BR	T15	3/16	3	7 1/4	•
SGDTRX320BR	T20	3/16	3	7 1/4	•
SGDTRX425BR	T25	3/16	4	8 7/8	•
SGDTRX427BR	T27	7/32	4	8 7/8	•
SGDTRX430BR	T30	1/4	4	8 7/8	•



SGTRXL40BR

Tamper Resistant/Long

- Hole in the end of each bit tip fits over center peg in Torx tamper resistant fasteners

Applications:

VW®/Audi® door and interior trim panels plus headlight assemblies. GM® engine sensors/components and steering column multiswitches.

Red	A	B	C	D	Set Contains:
					SGDTRXL70BR
SGDTRX608BR	T8	3/16	6	10	•
SGDTRX610BR	T10	3/16	6	10	•
SGDTRX615BR	T15	3/16	6	10	•
SGDTRX620BR	T20	3/16	6	10	•
SGDTRX825BR	T25	1/4	8	12 3/4	•
SGDTRX827BR	T27	1/4	8	12 3/4	•
SGDTRX830BR	T30	1/4	8	12 3/4	•


Tamper Resistant/Mini Tip

- Hole in the end of each bit tip fits over center peg in Torx tamper resistant fasteners

Applications:

VW/Audi door and interior trim panels plus headlight assemblies.

Red	A	B	C	D	Set Contains:
					SGTRXL40BR
SGDTR608B	T8	3/16	6	8 7/8	•
SGDTR610B	T10	3/16	6	8 7/8	•
SGDTR615B	T15	3/16	6	8 7/8	•
SGDTR620B	T20	3/16	6	8 7/8	•



Torx® Tip/Instinct® Hard Handle

Torx Standard


Set Contains: SHDTX900

Stock No.	A	B	C	D	
SHDTX380	T8	3/16	3	7 1/4	•
SHDTX3100	T10	3/16	3	7 1/4	•
SHDTX3150	T15	3/16	3	7 1/4	•
SHDTX3200	T20	3/16	3	7 1/4	•
SHDTX4250	T25	1/4	4	8 7/8	•
SHDTX4270	T27	1/4	4	8 7/8	•
SHDTX4300	T30	1/4	4	8 7/8	•
SHDTX6400	T40	5/16	6	10 7/8	•
SHDTX6450	T45	5/16	6	10 7/8	•



SHDTX900

Special Application



ST50A

90° Offset Screwdrivers

Set Contains: ST50A

Stock No.	Tip	A	B	
120SSDP	Phillips	#1 and #2	4 3/4	•
340SSDP	Phillips	#3 and #4	6	•
10SSD	Flat Tip	.040 x 1/4	4	•
20SSD	Flat Tip	.050 x 5/16	4 11/16	•
30SSD	Flat Tip	.060 x 3/8	5 1/2	•



S6180



S6189

Dzus® Fastener

- For Dzus type fasteners used in aircraft and auto racing applications

Stock No.	Tip Thickness, inches	Tip Width, inches	Blade Length, inches	Length, inches
S6180	.05	1/2	2	6 13/32
S6189	.032	19/64	2	5 3/4



SDDD101



SDDD41



CM6551

Reversible Blade Screwdriver and Sets

SDDD101 Reversible Blade Screwdriver Set.

- Includes 4 reversible bits for 8 different tip sizes: 1/4 and 3/16" flat tip, #1 and #2 Phillips tip, T15, T20, T25 and T30 Torx tip
- Individual 1/4 and 5/16" nut drivers
- ASME® B107
- Durable, classic hard handle is textured for a sure grip

SDDD41 Reversible Blade Screwdriver Set.

- Includes 2 reversible bits for 4 different tip sizes: 9/32 and 13/64" flat tip, #1 and #2 Phillips tip
- ASME B107
- Durable, classic hard handle is textured for a sure grip

Miniature Screwdriver/Awl Set

- Includes 4 blades in the following flat tip sizes: .055, .070, .080 and .100"
- Includes awl and plastic pouch



WARNING



- Do not use screwdrivers as prybars, chisels or punches
- Read safety precautions on pages W1 to W2

Special Application



SGDQ16KT

Pop up Screwdriver and Diamond Bits
SGDQ6 Pop up Screwdriver.

- Easy to use, spring loaded shank can adjust to different lengths for clearance as well as compact storage. (Approximately 6 1/2" and 8 1/2" lengths)
- Shank can be fully released to allow use with cordless drills
- Highly engineered collet incorporates both a magnetic and mechanical locking system to securely hold bits
- Rotating collet sleeve for "spinning" when quickly setting/removing fasteners
- INSTINCT® handle provides maximum turning power and greater comfort
- Diamond particles in bits "bite" into fasteners which minimizes stripping
- Diamond bits are extremely hard for long lasting performance and minimal wear
- Can accept all conventional 1/4" hex shank insert and power bits

SGDQ16KT Pop up Screwdriver Kit.

Kit includes: S DQ6 Pop up Screwdriver, SDMD221 through SDMD223 Phillips® Diamond Bits (#1, #2, #3), SDMD213 Flat Tip Diamond Bit, SDMDT10 through SDMDT30 TORX® Diamond Bits (T10 to T30) and SDMD321 through SDMD323 Power Phillips Diamond Bits (#1, #2, #3) in PAKSC062 Nylon Pouch.

PAKSC062 Nylon Pouch.



SDDR40

Square Tip

- Square tip screwdrivers offer excellent fastener engagement
- Tips are precision cut and vapor blasted for optimal grip
- Intended for use on #3 through #12 square tip fasteners

Stock No.	Color	Tip	Set Contains:	
			C	D
SDDR0B30Y	Yellow	#0	3	6 21/32
SDDR0B31G	Green	#1	3	6 21/32
SDDR0B42R	Red	#2	4	8 13/32
SDDR0B43	Black	#3	4	8 13/32


Ratcheting Screwdrivers (Blue-Point®)



BSGDMR6

BSGDMR6 Ratcheting Screwdriver

- 45 tooth ratcheting mechanism ensures precise positioning and movement
- Bits are stored in a bit magazine inside the handle
- Includes 6 1/4" hex bits: flat tip (4.5 and 5.5), Phillips (#1 and #2) plus Torx (T15 and T20)
- Bits are considered a consumable and carry no warranty



Red, orange or green - pick your preference with a complete screwdriver from the Soft Grip Ratcheting Screwdriver System. Perfectly matched combinations of magnetic bit holding shanks and handles means a perfect match to the technician's particular requirements.

All Handles

- Soft, solvent resistant cover material to provide a positive gripping surface
- "Thumbs up" forward/reverse lever for quick directional changes
- High quality stainless steel shanks with knurling
- Contoured thumb stop at base of handle helps user apply maximum pressure to the fastener
- Smooth ratcheting mechanism
- Use with any S^{TD}MRC series interchangeable blades and shanks
- Ergonomic handle shape provides comfort and control (design patent D421,888)
- Comfort crown of handle cap provides low friction surface for palm while turning

Standard Handle

- Cap functions as a bit holder when working in tight quarters
- Handle stores up to 10 bits

5 Position Soft Grip

- Features 0, 30 and 60 locking positions at the push of a button (U.S. patent 7,213,491 - Ratcheting Tool; U.S. Patent 7,481,135 - Hand Tool with Adjustable Head)
- Designed for right or left hand operation
- Ergonomic handle shape provides comfort and control (design patent D421,888)
- Cap functions as a bit holder for storage of up to 7 bits
- TransDrive™ ratchet mechanism provides twice the strength of previous mechanism (U.S. Patent 7213491)



Ratcheting Soft Grip

	Stock No.	Handle	Shank	Flat Tip Bit	Phillips® Bit	C	D
5-Position	SGDMRCE44	SGDMRCE4	SGDMRC1-10	SDM213B	SDM222IRB	2 5/8	8 1/2
Standard	SGDMRC44B	SGDMRC4	SGDMRC4-40	SDM213B	SDM222IRB	3 7/8	9 3/4
Stubby	SGDMRC11A	SGDMRC1	SGDMRC1-10			2	4 1/2

Soft grip ratcheting screwdriver features a nonmagnetic, fixed steel shank plus bit ring retainer, making the SGDR44C ideal for FOD, avionics and electronic applications. Includes one flat tip and one Phillips® Bit.



Handles

Stock No.	Handle	Color	A
SGDMRC1A	Stubby	Red	2 5/8
SGDMRC1AO	Stubby	Orange	2 5/8
SGDMRC1AG	Stubby	Green	2 5/8
SGDMRC4A	Standard	Red	6
SGDMRC4AO	Standard	Orange	6
SGDMRC4AG	Standard	Green	6
SGDMRCE4	5 Position	Red	5 7/8
SGDMRCE4O	5 Position	Orange	5 7/8
SGDMRCE4G	5 Position	Green	5 7/8



SGDMRCE44



SGDMRCE44O



SGDMRCE44G



SGDMRC44B



SGDMRC44BO



SGDMRC44BG



SGDMRC11A



SGDMRC11AO



SGDMRC11AG



SGDMRC1A



SGDMRC4AO



SGDMRCE4G



WARNING



- Do not use screwdrivers as prybars, chisels or punches
- Read safety precautions on pages W1 to W4

SCREWDRIVERS

Ratcheting/Hard Handle



SSDMR4BO



SSDMR1AO



SSDMR4B




SSDMR1A



SSDMR8A



SSDMR8AO



SSDMRT4R



SSDMRT4O



SSDMRT1R




SSDMRT1O



SSDMRT8A



SGDMRC4-40



SGDMRC4-80



SGDMRC1-10



SGDMRC4-TM4



SGDMRC4-TMF4



SGDMRC4-C6



SGDMRC-SP

Standard Handle

Stock No.	Handle	Color	C	D
SSDMR4B	Standard	Black	3 25/32	8 3/4
SSDMR4BO	Standard	Orange	3 25/32	8 3/4

Stock No.	Handle	Color	C	D
SSDMR1A	Stubby	Black	1 15/16	4 5/16
SSDMR1AO	Stubby	Orange	1 15/16	4 5/16

Includes SDM211B (3/16") and SDM213B (9/32") flat tip bits, SDM221IRB (#1) SDM222IRB (#2) Phillips® ACR® bits and 221, 222 and 223 (#3) *Phillips ACR* SDM223IRB

RKSDR1 Service Kit. Order for servicing all the above drivers.

Stock No.	Handle	Color	C	D
SSDMR8A	Long	Black	7 7/16	12 15/16
SSDMR8AO	Long	Orange	7 7/16	12 15/16

T-Handle

Stock No.	Handle	Color	A	B
SSDMRT4R	Standard	Red	3 7/8	5 27/32
SSDMRT4O	Standard	Orange	3 7/8	5 27/32

Stock No.	Handle	Color	A	B
SSDMRT1R	Stubby	Red	2	3 15/16
SSDMRT1O	Stubby	Orange	2	3 15/16

Stock No.	Handle	Color	A	B
SSDMRT8A	Long	Black	8	10

Includes the following bit: SDM222IRB #2 *Phillips ACR*

RKRSSDMR4AC Service Kit. Order for servicing all the above drivers.

Interchangeable Shanks

- Use with handles in the soft grip ratcheting screwdriver system
- Neodymium magnet in shank holds bit securely (U.S. Patent RE36,797)
- 1/4" square drive shanks in standard and flexible styles allow attachment of a wide range of 1/4" drive sockets and accessories

Stock No.	Description	C	D
SGDMRC1-10	Magnetic Bit Holder	3 1/4	2
SGDMRC4-40	Magnetic Bit Holder	5	3 3/4
SGDMRC4-80	Magnetic Bit Holder	9	7 3/4
SGDMRC4-TM4	1/4" Sq. Dr. Shank	5	3 3/4
SGDMRC4-TMF4	Flexible 1/4" Sq. Dr. Shank	6 1/4	5
SGDMRC4-C6	Composite (Nonconductive) Magnetic Bit Holder	7 1/4	6
SGDMRC-SP	1/4" Speeder Shank	13	

SGDMRC-SP Speeder Shank.

- Ideal for aviation technicians and other applications where accessibility is limited

Ratcheting/Screwdriver Sets



SGDMRC103A

Soft rip Ratcheting Screwdriver Sets

- S DMRC starter sets include standard handle, medium and long magnetic bit holding shanks plus 2 flat tip bits, 2 Phillips® bits and one Torx® bit to meet most basic job requirements

SGDMRC103A Red Ratcheting Screwdriver Set

Stock No.	Description
SGDMRC4	Ratcheting Handle
SGDMRC4-40	Magnetic Shank/Bit Holder
SGDMRC4-80	Magnetic Shank/Bit Holder
SDM211B	3/16" Flat Tip Bit
SDM213B	9/32" Flat Tip Bit
SDM221IRB	#1 Phillips ACR bit
SDM222IRB	#2 Phillips ACR bit
SDMT15D	T15 Torx bit
PB146A	Storage Case

SGDMRC103AO Orange Ratcheting Screwdriver Set.

- Same as S DMRC103A set except has S DMRC40 orange ratcheting handle

SGDMRC103AG Green Ratcheting Screwdriver Set.

- Same as S DMRC103A set except has S DMRC4A green ratcheting handle



DHW1

Torx Bit Set

DHW1 Reversible Ratcheting Bit Wrench (Blue-Point®).

- Overall length: 10.75" (273 mm)
- Low head clearance for access to tight spots
- Internal ring in square drive provides more secure bit retention than magnetic models

Stock No.	Description	Size
SDMTAS15	T15 Torx Bit	5/16" Hex Size
SDMTAS20	T20 Torx Bit	5/16" Hex Size
SDMTAS25	T25 Torx Bit	5/16" Hex Size
SDMTAS27	T27 Torx Bit	5/16" Hex Size
SDMTAS30	T30 Torx Bit	5/16" Hex Size
SDMTAS40	T40 Torx Bit	5/16" Hex Size
SDMTAS45	T45 Torx Bit	5/16" Hex Size

SHORTORX Bit Set (Blue-Point®).

Applications:

BMW®: Under dash and sensors in engine compartment.
 Cadillac®: Water pumps; Cadillac CTS, 3.2 L, 2003-2004/Cadillac Catera 3.0 L, 1997 to 2001: oil drain plug; Ford® Escort, early model: Door hinge bolts; M®: Fender applications; Jeep® Cherokee, 1997 to 1998: Door hinge bolts; VW®, prior to 1999: Exterior and interior door hinge bolts.



SGDMRC108AO

SGDMRC108AO Orange Master Ratcheting Screwdriver Set

Stock No.	Description
SGDMRC1	Ratcheting Handle
SGDMRC4	Ratcheting Handle
SGDMRC1-10	Magnetic Shank/Bit Holder
SGDMRC4-40	Magnetic Shank/Bit Holder
SGDMRC4-80	Magnetic Shank/Bit Holder
SGDMRC4-TM4	1/4" Drive Shank
SDM400A	Master Bit Kit
PB146A	Storage Case

SGDMRC108A Red Ratcheting Screwdriver Set.

- Same as S DMRC108AO set except has S DMRC1A and S DMRC4A ratcheting handles

SGDMRC108AG Green Ratcheting Screwdriver Set.

- Same as S DMRC108A set except has S DMRC1A and S DMRC4A green ratcheting handles



SGDMRC60

Interchangeable Blades

- Nonmagnetic blade is ideal for electronic applications

Stock No.	Description	Size	D	Set Contains:
SGDMRC4-F7	Flat Tip	7/32	5 1/8	•
SGDMRC4-F8	Flat Tip	1/4	5 1/8	•
SGDMRC4-F10	Flat Tip	5/16	5 1/8	•
SGDMRC4-P1	Phillips Tip	#1	5 1/8	•
SGDMRC4-P2	Phillips Tip	#2	5 1/8	•
SGDMRC4-P3	Phillips Tip	#3	5 1/8	•



SHORTORX




WARNING



- Do not use screwdrivers as prybars, chisels or punches
- Read safety precautions on pages W1 to W4

SCREWDRIVERS

Ratcheting Screwdriver Sets



Magnetic Ratchet and Bit Set

TM936SET Magnetic Bit and Ratchet Set.

- Ideal for accessing fasteners in tight areas
- Ratchet in set features magnetic retention for 1/4" hex bits

Includes:


- SDM211B (3/16")
- SDM213B (9/32") flat tip bits
- SDM221IRB (#1) and SDM222IRB (#2) Phillips® ACR® bits
- SDMT15D (T15) Torx® bit

Stock No.			A	B	C	D
TM936SET	30	12	7/16	27/32	1 3/4	4 1/2

RKRTM936 Ratchet Repair Kit.

Repair kit for TM936 ratchet.

Screw and Nut Starters



Aluminum Starters

- Spring loaded steel bits grip screw slot wall to withstand an 8 lb pull
- Bits release automatically when applied torque reaches a certain level

Stock No.	A	B	C	D
SS5A	5/16	Flat Tip	.032 x 9/32	5
SSM3*	5/16	Flat Tip	.032 x 9/32	2 1/2
SSM5A*	5/16	Flat Tip	.032 x 9/32	5 1/4
SSM6A*	9/32	Phillips	#3	5 1/2
GA260A	9/32	Phillips	#2	2 5/8
GA261B	9/32	Phillips	#3	5 5/8
GA199A	9/32	Combination	.032 x 9/32, #2	5 7/8

*Aluminum handle with magnet.

SSR7 Recessed Screw and Nut Starter.

- Round aluminum body with knurled gripping area in center
- Designed to accommodate the most popular sizes of recessed screws: *Torx*, *Socket Head*, *Phillips*, etc.
- Opposite end handles #3, #4, #6, #8 and #10 nuts
- Overall length is 6 3/4"

Ratcheting Bit Wrenches (Blue-Point®)



YA480B Right Angle Ratcheting Screwdriver.

Includes one each:

- Flat Tip, #2 *Phillips*, #2 *Pozidriv*® bits

BTWSMPK Miniature Ratcheting Handle Set.

Includes:

- BTWSM, BTWOS and BTWROS mini ratcheting handles
- SDM213B (9/32") flat tip bit
- SDM213B (9/32") flat tip bit
- SDM221IRB (#1)
- SDM222IRB (#2) *Phillips ACR* bits
- SDMT150D (T15) *Torx* bit



BTWOSK Miniature Ratcheting Handle Set.

Includes:

- BTWOS mini ratcheting handle
- SDM213B (9/32") flat tip bit
- SDM221IRB (#1)
- SDM222IRB (#2) *Phillips ACR* bits
- SDMT150D (T15) *Torx* bit

BTWS Miniature Ratcheting Handle.

Straight.

BTWOSK Miniature Ratcheting Handle.

25 Offset.



BTWROS Miniature Ratcheting Handle.

25 Reverse Offset.

Miniature Ratcheting Handle Features:

- 72 tooth ratchet engagement with only 5 movement to engage the next tooth
- 25 offset handles help avoid knuckle injuries
- Magnetic holder keeps bits in place

Nut Drivers



NDDM1070

Hard Handle, mm

Set
Contains:

mm	Stock No.	A*	B	
6	NDDM60	7.5	169.1	•
7	NDDM70	9.1	169.1	•
8	NDDM80	9.9	169.1	•
9	NDDM90	9.9	188.0	•
10	NDDM100	13.1	188.0	•
11	NDDM110	13.1	188.0	•
12	NDDM120	13.1	202	•

*Socket Length



NDD1070A

Hard Handle, inches

Set
Contains:

11	Stock No.	Color	A*	B	
1/4	NDD108AR	Red	19/64	6 21/32	•
9/32	NDD109A0	Orange	23/64	6 21/32	•
5/16	NDD110AY	Yellow	23/64	6 21/32	•
11/32	NDD111AG	Green	25/64	6 21/32	•
3/8	NDD112AB	Blue	25/64	7 13/32	•
7/16	NDD114ABR	Brown	33/64	7 13/32	•
1/2	NDD116AR	Red	33/64	7 15/16	•


*Socket Length

Locking Nut Drivers (Blue-Point®)

- Tools lock onto hex screws
- Great for hose clamp and other hard to reach applications

Set
Contains:

Stock No.	Size	Length		
NDL1410	1/4	10	•	
NDL51610	5/16	10	•	
NLDM610	6 mm	10		•
NLDM710	7 mm	10		•



102NDL10

Ergonomic Soft rip Handle, inches

Set
Contains:

11	Stock No.	Handle Color	Length	
1/2	NDSG12	Red	6 3/8	•
1/4	NDSG14	Red	6 3/8	•
3/8	NDSG38	Red	6 3/8	•
5/16	NDSG516	Red	6 3/8	•
7/16	NDSG716	Red	6 3/8	•
9/32	NDSG932	Red	6 3/8	•



NDSG600

Ergonomic Soft rip Handle, mm

Set
Contains:

mm	Stock No.	Handle Color	Length	
7	NDSGM7	Blue	160	•
8	NDSGM8	Blue	160	•
10	NDSGM10	Blue	160	•
12	NDSGM12	Blue	160	•
13	NDSGM13	Blue	160	•
14	NDSGM14	Blue	160	•



NDSGM600



WARNING



- Do not use screwdrivers as prybars, chisels or punches
- Read safety precautions on pages W1 to W4

SCREWDRIVERS

Bit Sets

Master Bit Set (1/4" Hex) SDM400A Master Bit Kit.

- 37 pc set
- 1/4" hex shank bits
- SDM11 magnetic insert bit holder for quick hex bit changes when using cordless drill or screw gun
- TMBS8A 1/4" hex magnetic socket for use with 1/4" drive handles
- MB3042 1/4" power hex to square adaptor

Includes all bits below:

	Stock No.	#
Flat Tip Bit	SDM211B	.031 x .187
	SDM212B	.035 x .219
	SDM213B	.038 x .250
	SDM214C	.046 x .312
	SDM215C	.055 x .375
Hex Bit	SDM2704D	1/16
	SDM2705D	5/64
	SDM2706D	3/32
	SDM2707D	7/64
	SDM2708D	1/8
	SDM2709D	9/64
	SDM2710D	5/32
	SDM2712D	3/16
	SDM2714D	7/32
	SDM2716D	1/4
	SDM2718D	5/16
Phillips ACR Bit	SDM221IRB	#1
	SDM222IRB	#2
	SDM223IRB	#3
Torx Bit	SDMT8D	T8
	SDMT9D	T9
	SDMT10D	T10
	SDMT15D	T15
	SDMT20D	T20
	SDMT25D	T25
	SDMT27D	T27
	SDMT30D	T30
	SDMT40D	T40
Pozidriv ACR Bit	SDM251IRC	#1
	SDM252IRB	#2
	SDM253IRC	#3
ScrewloX Bit	BTS0	#0
	BTS1	#1
	BTS2	#2
	BTS3	#3



SDM400A



SDM32KT

Ball Hex Bit Sets (1/4" Hex)

SDM32KT Ball Hex Set (Blue-Point®).

- 1/4" shank bits for use in difficult access applications where fastener cannot be approached straight on
- 32 pc set

	Stock No.	#
Metric	SDMBMH2702	2 mm
	SDMBMH2702.5	2.5 mm
	SDMBMH2703	3 mm
	SDMBMH2704	4 mm
	SDMBMH2705	5 mm
	SDMBMH2706	6 mm
	SDMBMH2707	7 mm
	SDMBMH2708	8 mm
	SDMBMH2709	9 mm
	SDMBMH2710	10 mm
Fractional	SDMBH2706	3/32
	SDMBH2707	7/64
	SDMBH2708	1/8
	SDMBH2709	9/64
	SDMBH2710	5/32
	SDMBH2712	3/16
	SDMBH2714	7/32
	SDMBH2716	1/4
	SDMBH2720	5/16
	SDMBH2724	3/8
Torx	SDMBT10	T10
	SDMBT15	T15
	SDMBT20	T20
	SDMBT25	T25
	SDMBT27	T27
	SDMBT30	T30
	SDMBT40	T40
	SDMBT45	T45
	SDMBT50	T50
	SDMBT55	T55
Bit Holder	SDM13	—
1/4" Fem Hex to 1/4" Fem Sq Dr. Adaptor	TMBS108	—



SDM11KT

SDM11KT Torx Ball Hex Set (Blue-Point®).

- 1/4" shank bits for use in difficult access applications where fastener cannot be approached straight on
- 11 pc set
- All components store in case with belt clip

	Stock No.	#
Torx	SDMBT10	T10
	SDMBT15	T15
	SDMBT20	T20
	SDMBT25	T25
	SDMBT27	T27
	SDMBT30	T30
	SDMBT40	T40
	SDMBT45	T45
	SDMBT50	T50
	SDMBT55	T55
Bit Holder	SDM13	—
1/4" Fem Hex to 1/4" Fem Sq Dr Adaptor	TMBS108	—

SDMC8 Kit.

- Case is designed to fit the shank of Snap-on® ratcheting screwdriver allowing the tools to be stored together
- Indexable tray has good bit spacing and pivots up to make bit selection/removal easy



SDMC8

Stock No.	Description
SDMC8P	Bit Set, 8 pc Combo Blk
SDMC8H	Bit Set, 8 pc Hex Blk
SDMC8MH	Bit Set, 8 pc Met Hex Blk
SDMC8T	Bit Set, Torx Blk
SDMC8D	Bit Set, Diamond Combo Blk



YA52PBSQC

YA52PBSQC Power Bit Set (Blue-Point®).

• Ideal for use with cordless drills and screwdrivers
Includes:

- 49 1/4" hex shank bits in short and long lengths
- 2 hex adaptors
- Quick change chuck and convenient storage case
- Flat tip bits (Short): 5-6, 6-8, 8-10 (2 each), 10-12
- Flat tip bits (Long): 6-8, 8-10, 10-12
- Hex bits (Short): 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 9/32"
- Hex bits (Long): 5/32, 3/16, 7/32"
- Phillips® tip bits (Short): #1, #2 (2 each), #3
- Phillips tip bits (Long): #1, #2, #3
- Tamper resistant Torx® bits (Short and Long): T10, T15, T20, T25, T27, T30, T40
- Square bits (Short and Long): #1, #2, #3
- Clutch bits (Short and Long): 5/32, 3/16",
- Double end Bits: 6-8 x #2 Phillips, 8-10 x #3 Phillips
- Adaptors: 1/4" hex female to 1/4" hex female, 1/4" hex male to 1/4" square male, 1/4" hex Quick Change Chuck.

All bit quantities shown are (1) each unless otherwise indicated.



SDML19KT

SDML19KT Long Power Bit Set.

- Includes an assortment of popular sized bits to cover a wide range of applications
- Helps avoid costly damage to work surface by eliminating chuck contact
- Includes:
- 4 flat tip bits (2) 3" long, (2) 6" long
- 6 Phillips bits (3) 2 3/4" long, (3) 6" long
- 8 Torx bits (4) 2 3/4" long, (4) 6" long
- TMC109A quick change coupler



SDMEXT19K

SDMEXT19K Adaptor and Bit Set.

- Complete set includes the most popular sizes and lengths of extensions, adaptors and bits
- 1/4" hex to 1/4" or 3/8" square drives hex to square adaptors for use with sockets (2 and 6" long)
- Magnetic bit holder for use with insert bits and quick change coupler for use with 1/4" hex power bits
- Includes:
- 3 flat tip
- 3 Phillips
- 3 Phillips insert bits
- 3 Torx power bits

Screwdriver Bits and Accessories

Magnetic Insert Bit Holders

SDM11.

- For quick hex bit changes when used with electric drill or screw gun
- Magnetic and lock ring bit retention
- 2 7/8" long

SDM12.

- Similar to SDM11 but features lock ring retention only
- 1 1/8" long

SSDM10A.

- Pocket sized storage system for SDM series bits
- Includes quick change bit holder

SSDM28.

- Holds (8) 5/16" and (18) 1/4" hex bits
- 5 clips slide on rail to easily access bit
- Magnets on base of holder for attachment to any ferrous metal surface
- Plastic material helps protect finished surface from scratches



TMBS8A



TMUBS8

Magnetic Screwdriver Bit Sockets

- For use with standard 1/4" hex SDM series screwdriver bits

Stock No.	Description
TMBS8A	1/4" hex opening, 1/4" drive.
GTMB8A	1/4" hex opening, 1/4" drive. Black industrial finish.
TMUBS8	1/4" hex opening, 1/4" drive.
FBSM8A	1/4" hex opening, 3/8" drive.



SSDM10A



FBS8



SSDM28



SDM11



CFSSB8

Screwdriver Bit Sockets

- For use with standard 1/4" hex SDM series screwdriver bits

Stock No.	Description
FBS8	3/8" Drive, Socket for 1/4" Hex Shanks.
FBS9	3/8" Drive, Socket for 5/16" Hex Shanks.
CFSSB8	Insulating universal bit socket. 1/4" hex opening, 3/8" drive.

Screwdriver Bit Holders

TMC109A Quick Change Coupler.

- Use with any 1/4" drive handle
- Spring release shell retracts to accept 1/4" hex power type bits
- Ideal for production situations where positive bit retention is required
- Industrial finish



WARNING



- Do not use screwdrivers as prybars, chisels or punches
- Read safety precautions on pages W1 to W4

SCREWDRIVERS

1/4" Hex Shank Bits

	Stock No.	#
 Flat Tip	SDM211B**	.031" x .187"
	SDM212B**	.035" x .219"
	SDM213B**	.038" x .250"
	SDM214C**	.046" x .312"
	SDM215C**	.055" x .375"
 Phillips	SDM221C	#1
	SDM222B	#2
	SDM222CZ*	#2
	SDM223C	#3
 Reed & Prince	SDM231A	#2
 Clutch A	SDM242	3/32"
	SDM243	1/8"
	SDM244	5/32"
	SDM245	3/16"
	SDM246	1/4"
	SDM247	5/16"
 Clutch G	SDM242G	3/32"
	SDM243G	1/8"
	SDM244G	5/32"
	SDM245G	3/16"
	SDM246G	1/4"
	SDM2704D**	1/16"
 Hex, inches	SDM2705D**	5/64"
	SDM2706D**	3/32"
	SDM2707D**	7/64"
	SDM2708D**	1/8"
	SDM2709D**	9/64"
	SDM2710D**	5/32"
	SDM2712D**	3/16"
	SDM2714D**	7/32"
	SDM2716D**	1/4"
	SDM2720D	5/16"
	SDM2724D	3/8"
	SDMM2702B	2 mm
	SDMM2702.5B	2.5 mm
 Hex, mm	SDMM2703B	3 mm
	SDMM2704C	4 mm
	SDMM2705C	5 mm
	SDMM2706C	6 mm
	SDMM2708B	8 mm
	SDMM2710B	10 mm
	SDM251C**	#1
	SDM252C**	#2
 Pozidriv	SDM253C**	#3

* small profile/narrow tip ** included as part of SDM400A Master Bit Set



Wobble Bits

• ive up to an 18° angle of "wobble"

Stock No.	#
SDMTW8A	T8
SDMTW9A	T9
SDMTW10A	T10
SDMTW15A	T15
SDMTW20A	T20
SDMTW25A	T25
SDMTW27A	T27
SDMTW30A	T30
SDMTW40A	T40
SDMW221A	#1
SDMW222A	#2
SDMW223A	#3



SDM221IRB

Phillips ACR® Installer/Remover

- Anticamout ribs bite into fasteners and help prevent camout

Stock No.	#
SDM221IRB***	#1
SDM222IRB***	#2
SDM223IRB***	#3

*** Part of SDM400A Master Bit Set.

	Stock No.	#
 Torx	SDMT6A	T6
	SDMT7A	T7
	SDMT8D**	T8
	SDMT9D**	T9
	SDMT10D**	T10
	SDMT15D**	T15
	SDMT20D**	T20
	SDMT25D**	T25
	SDMT27D**	T27
	SDMT30D**	T30
 Scrulox	SDMT40D**	T40
	BTS0**	#0
	BTS1**	#1
	BTS2**	#2
 Tri-Wing	BTS3**	#3
	BTW0A	#0
	BTW1A	#1
	BTW2A	#2
	BTW3A	#3
	BTW4A	#4
	BTW5A	#5
 Double Square	BTW6A	#6
	BTSS2	#2

** Part of SDM400A Master Bit Set

- BTS and BTSS Series bits can be used on recessed double square fasteners used on trailer and RV exteriors
- Bit size varies by application



SDMT8

Tamper Resistant Torx

Stock No.	#
SDMTR8	T8
SDMTR10	T10
SDMTR15	T15
SDMTR20	T20
SDMTR25	T25
SDMTR27	T27
SDMTR30	T30
SDMTR40	T40
SDMTR45	T45
SDMTR50	T50

- Bits SDMTR8 through SDMTR40 are all 1/4", bits SDMTR45 and SDMTR50 are 5/16"



SDM252IRB

Pozidriv ACR Installer/Remover

- Anticamout ribs bite into fasteners and help prevent camout

Stock No.	#
SDM251IRC***	#1
SDM252IRB***	#2
SDM253IRC***	#3

***Part of SDM400A Master Bit Set.

Diamond Tip Insert Bits

- Diamond particles "bite" into fasteners which minimizes slipping
- Diamond particles are extremely hard for long lasting performance and minimal wear

	Stock No.	#
 Phillips®	SDMD221	#1
	SDMD222	#2
	SDMD223	#3
 Flat Tip	SDMD212	.8 mm/5.5 mm
	SDMD213	1 mm/5.5 mm
	SDMD214	1.2 mm/6.5 mm
 Torx®	SDMDT10	T10
	SDMDT15	T15
	SDMDT20	T20
	SDMDT25	T25
	SDMDT30	T30
	SDMDT40	T40

Diamond Tip Power Bits

	Stock No.	#
 Power Bit	SDMD321	#1
	SDMD322	#2
	SDMD323	#3

Mortorq® Bits

- Typically used on aerospace applications
- Low profile head design, high strength torque acceptance and lighter weight

	Stock No.	#
 Mortorq	SDMMT00	#00
	SDMMT01	#0
	SDMMT1	#1
	SDMMT2	#2
	SDMMT3	#3

Insert Bits

	Stock No.	#	Length
 Torx	SDMTA40	T40	5/16 1 1/4
	SDMTA45	T45	5/16 1 1/4
	SDMTA50	T50	5/16 1 1/4
	SDMTA55	T55	5/16 1 1/4



SDMTA55

1/4" Hex Shank Bits (Blue-Point®)

Bit Holder and 1/4" Bits

Stock No.	Description	Size	Stock No.	Description	Size
BLPTMBS1414	Bit Holder (for 1/4" hex bits)	1/4"	BLPTB20TP	Tamper Resistant <i>Torx</i> Bit	T20
BLPTMBS3814	Bit Holder (for 1/4" hex bits)	3/8"	BLPTB25TP	Tamper Resistant <i>Torx</i> Bit	T25
BLPHB18	Hex Bit	1/8"	BLPTB30TP	Tamper Resistant <i>Torx</i> Bit	T30
BLPHB964	Hex Bit	9/64"	BLPFB532	Flat Tip Bit	5/32"
BLPHB532	Hex Bit	5/32"	BLPFB732	Flat Tip Bit	7/32"
BLPHB316	Hex Bit	3/16"	BLPFB932	Flat Tip Bit	9/32"
BLPHB732	Hex Bit	7/32"	BLPFB316	Flat Tip Bit	3/16"
BLPHB14	Hex Bit	1/4"	BLPFB14	Flat Tip Bit	1/4"
BLPHBM3	Metric Hex Bit	3 mm	BLPPB0	<i>Phillips</i> Tip Bit	#0
BLPHBM4	Metric Hex Bit	4 mm	BLPPB1	<i>Phillips</i> Tip Bit	#1
BLPHBM5	Metric Hex Bit	5 mm	BLPPB2	<i>Phillips</i> Tip Bit	#2
BLPHBM6	Metric Hex Bit	6 mm	BLPPB3	<i>Phillips</i> Tip Bit	#3
BLPTB10TP	Tamper Resistant <i>Torx</i> Bit	T10	BLPSQB1	Square Tip Bit	#1
BLPTB15TP	Tamper Resistant <i>Torx</i> Bit	T15	BLPSQB2	Square Tip Bit	#2



BLPTMBS1414




WARNING



- Do not use bits with impact driver
- Read safety precautions on pages W1 to W4

SCREWDRIVERS

Power Bits



	Stock No.	#		A	B
Flat Tip	SDM311B	.026" x .122"	1/4	.187	1 15/16
	SDM312B	.028" x .134"	1/4	.187	1 15/16
	SDM313B	.032" x .154"	1/4	.187	1 15/16
	SDM314B	.034" x .187"	1/4	.187	1 15/16
	SDM315A	.036" x .215"	1/4	.234	1 15/16
	SDM316A	.038" x .250"	1/4	.234	1 15/16
	SDM317A	.042" x .275"	1/4	.234	1 15/16
	SDM318A	.046" x .312"	1/4	.234	1 15/16
	SDM319A	.050" x .360"	1/4	.234	1 15/16
	SDM411B	.026" x .122"	1/4	.234	3
	SDM412B	.028" x .134"	1/4	.187	3
	SDM413B	.032" x .154"	1/4	.187	3
	SDM414A	.034" x .187"	1/4	.187	3
	SDM415A	.036" x .215"	1/4	.250	3
	SDM416A	.038" x .250"	1/4	.234	3
	SDM417A	.042" x .275"	1/4	.234	3
	SDM418A	.046" x .312"	1/4	.234	3
	SDM419A	.050" x .360"	1/4	.234	3
	SDM511A	.026" x .122"	1/4	.187	3 1/2
	SDM512A	.028" x .134"	1/4	.187	3 1/2
	SDM513A	.032" x .154"	1/4	.187	3 1/2
	SDM514A	.034" x .187"	1/4	.187	3 1/2
	SDM515A	.036" x .215"	1/4	.234	3 1/2
	SDM516A	.038" x .250"	1/4	.234	3 1/2
	SDM517A	.042" x .275"	1/4	.234	3 1/2
	SDM518A	.046" x .312"	1/4	.234	3 1/2
	SDM519A	.050" x .360"	1/4	.234	3 1/2
	SDM614	.034" x .187"	1/4	.187	6
	SDM616	.038" x .250"	1/4	.234	6

	Stock No.	#		A	B
Phillips ACR® Removal Bits	SDM361RA	#1	1/4	.187	1 15/16
	SDM362RA	#2	1/4	.234	1 15/16
	SDM363RA	#3	1/4	.234	1 15/16

	Stock No.	#		A	B
Phillips ACR Installer Bits	SDM361IA	#1	1/4	.187	1 15/16
	SDM362IA	#2	1/4	.234	1 15/16
	SDM363IA	#3	1/4	.234	1 15/16




SDM351B

✚ Pozidriv®, inches

Stock No.	#		A	B
SDM351B	#1	1/4	.187	1 15/16
SDM352B	#2	1/4	.234	1 15/16
SDM353B	#3	1/4	.234	1 15/16
SDM451A	#1	1/4	.187	2 3/4
SDM452A	#2	1/4	.234	2 3/4
SDM453A	#3	1/4	.234	2 3/4
SDM551A	#1	1/4	.187	3 1/2
SDM552A	#2	1/4	.234	3 1/2
SDM553A	#3	1/4	.234	3 1/2
SDM651A	#1	1/4	.187	6
SDM652A	#2	1/4	.234	6
SDM653A	#3	1/4	.234	6

	Stock No.	#		A	B
Phillips®	SDM220A	#0	1/4		1
	SDM320A	#0	1/4	.125	1 15/16
	SDM321B	#1	1/4	.187	1 15/16
	SDM322B	#2	1/4	.234	1 15/16
	SDM323A	#3	1/4	.234	1 15/16
	SDM421B	#1	1/4	.187	2 3/4
	SDM422B	#2	1/4	.234	2 3/4
	SDM423B	#3	1/4	.234	2 3/4
	SDM521A	#1	1/4	.187	3 1/2
	SDM522A	#2	1/4	.234	3 1/2
	SDM523A	#3	1/4	.234	3 1/2
	SDM621A	#1	1/4	.187	6
	SDM622A	#2	1/4	.234	6
	SDM623A	#3	1/4	.234	6
	SDMA421	#1	5/16	.250	3
	SDMA422A	#2	5/16	.250	3
	SDMA423A	#3	5/16	.296	3
	SDMB422A	#2	7/16	.312	3
	SDMB423A	#3	7/16	.312	3
	SDMB424A	#4	7/16	.375	3
	SDMB522A	#2	7/16	.312	4 1/2
	SDMB523A	#3	7/16	.312	4 1/2
	SDMB524A	#4	7/16	.375	4 1/2
	SDMB622	#2	7/16	.312	6
	SDMB623A	#3	7/16	.312	6
	SDMB624A	#4	7/16	.312	6

	Stock No.	#		A	B
Torx®	SDMT307A	T7	1/4	.140	1 15/16
	SDMT308A	T8	1/4	.140	1 15/16
	SDMT309A	T9	1/4	.140	1 15/16
	SDMT310A	T10	1/4	.140	1 15/16
	SDMT315A	T15	1/4	.140	1 15/16
	SDMT320A	T20	1/4	.203	1 15/16
	SDMT325B	T25	1/4	.203	1 15/16
	SDMT327A	T27	1/4	.203	1 15/16
	SDMT330A	T30	1/4	.250	1 15/16
	SDMT340A	T40	1/4	.250	1 15/16
	SDMT407	T7	1/4	.140	2 3/4
	SDMT408	T8	1/4	.140	2 3/4
	SDMT409	T9	1/4	.140	2 3/4
	SDMT410	T10	1/4	.140	2 3/4
	SDMT415	T15	1/4	.140	2 3/4
	SDMT420	T20	1/4	.203	2 3/4
	SDMT425	T25	1/4	.203	2 3/4
	SDMT427	T27	1/4	.203	2 3/4
	SDMT430	T30	1/4	.250	2 3/4
	SDMT440	T40	1/4	.250	2 3/4
	SDMT507	T7	1/4	.140	3 1/2
	SDMT508	T8	1/4	.140	3 1/2
	SDMT509	T9	1/4	.140	3 1/2
	SDMT510	T10	1/4	.140	3 1/2
	SDMT515	T15	1/4	.140	3 1/2
	SDMT520	T20	1/4	.203	3 1/2
	SDMT525	T25	1/4	.203	3 1/2
	SDMT527	T27	1/4	.203	3 1/2
	SDMT530	T30	1/4	.250	3 1/2
	SDMT540	T40	1/4	.250	3 1/2
	SDMT607	T7	1/4	.140	6
	SDMT608	T8	1/4	.140	6
	SDMT609	T9	1/4	.140	6
	SDMT610	T10	1/4	.156	6
	SDMT615	T15	1/4	.156	6
	SDMT620	T20	1/4	.187	6
	SDMT625	T25	1/4	.234	6
	SDMT627	T27	1/4	.250	6
	SDMT630	T30	1/4	.250	6
	SDMT640	T40	1/4	.250	6



SDMM3702

Hex, mm

Stock No.	mm	A	B
SDMM3702	2	.09	49.3
SDMM37025	2.5	.11	49.3
SDMM3703	3	.13	49.3
SDMM3704	4	.18	49.3
SDMM3705	5	.22	49.3
SDMM3706	6	.27	49.3
SDMM3707	7	.31	49.3
SDMM3708	8	.36	49.3
SDMM3710	10	.45	49.3



Hex, inches

SDMM3704

Stock No.			A	B
SDM3704	1/16	1/4	.07	1 15/16
SDM3705	5/64	1/4	.09	1 15/16
SDM3706	3/32	1/4	.11	1 15/16
SDM3707	7/64	1/4	.12	1 15/16
SDM3708	1/8	1/4	.14	1 15/16
SDM3709	9/64	1/4	.16	1 15/16
SDM3710	5/32	1/4	.18	1 15/16
SDM3712	3/16	1/4	.21	1 15/16
SDM3714	7/32	1/4	.25	1 15/16
SDM3716	1/4	1/4	.28	1 15/16
SDMA4708	1/8	5/16	.14	3
SDMA4710	5/32	5/16	.18	3
SDMA4712	3/16	5/16	.21	3
SDMA4714	7/32	5/16	.25	3
SDMA4716	1/4	5/16	.28	3
SDMA4720	5/16	5/16	.36	3
SDMA4724	3/8	5/16	.43	3

Awls, Hooks and Picks



SGASA104BR

Awls and Hooks/Soft rip

- Use for scribing, alignment, O-ring removal, piercing holes in leather or fabric and cleaning crevices


Set Contains:
SGASA104BR

Stock No.	Description	Handle Color	Blade Length, inches	Overall Length, inches	Awl and Hook Set
SG4ASABR	Awl	Red	3 3/4	8	•
SG4ASHBR	Hook Tool	Red	3 3/4	8	•
SG5ASABR	Awl	Red	4 3/4	9 5/8	•
SG7ASABR	Awl	Red	5 3/4	10 5/8	•

Set includes storage tray.



SGASA204A



SGASA204AO



SGASA204AG

Miniature Awls, Hooks and Picks/Soft rip

- Use for scribing, alignment, O-ring removal, piercing holes in leather or fabric and cleaning crevices
- 3 1/8" blade length, 6" long

Set Contains:

Description	Red Handle Stock No.	Orange Handle Stock No.	Green Handle Stock No.			
Mini Awl	SG3ASABR	SG3ASABO	SG3ASABG	•	•	•
Mini Hook	SG3ASHBR	SG3ASHBO	SG3ASHBG	•	•	•
Mini Pick, 45°	SG3ASH45BR	SG3ASH45BO	SG3ASH45BG	•	•	•
Mini Pick, 90°	SG3ASH90BR	SG3ASH90BO	SG3ASH90BG	•	•	•

Sets include storage tray.

Long Small Size Awls, Hooks and Picks/Soft rip

- Use for scribing, alignment, O-ring removal, piercing holes in leather or fabric and cleaning crevices
- Blade length 8", 9 23/32" overall length

Set Contains:

Description	Red	Orange	Green Handle			
Long Mini Awl	SGL3ASA	SGL3ASAO	SGL3ASAG	•	•	•
Long Mini Hook	SGL3ASH	SGL3ASHO	SGL3ASHG	•	•	•
Long Mini Pick, 45° tip	SGL3ASH45	SGL3ASH45O	SGL3ASH45G	•	•	•
Long Mini Pick, 90° tip	SGL3ASH90	SGL3ASH90O	SGL3ASH90G	•	•	•

Sets include storage tray.



SGLASA204



SGLASA204O



SGLASA204G



WARNING



- Do not use bits with impact driver
- Read safety precautions on pages W1 to W4

SCREWDRIVERS

Awls, Hooks and Picks



SGSR104

Seal Removal Tools/Soft Grip

- Rounded tip with blended radius edge allows easy removal of seals or O-rings while reducing chance of damage to seal or finished surface
- 2 tip configurations and 2 blade lengths handle most seal removal situations
- Industrial black finish blades

Applications:

Transmissions, heater and vacuum hoses, oil pump drive shaft seals, injectors and fuel rail O-rings, inner tie rod rack boot and CV boot removal, fork seals and caliper dust boot assemblies on Harley-Davidson® and other motorcycles and steering racks and pumps

Set Contains: SGSR104				
Stock No.	Tip Style	Blade Length, inches	Overall Length, inches	Seal Remover Set
SGSR1	Spoon	5 1/4	8	•
SGSR2	Spoon	2 1/2	5 11/32	•
SGSR3	Contoured	2 1/2	5 11/32	•
SGSR4	Contoured	5 1/4	8	•

Set includes storage tray.

Picks and Scribes (Blue-Point)

YA145 Pick Set.

- Includes knurled handle and 4 screw-in picks with different hook configurations
- Clear plastic pouch



YA145

Stock No.	Overall length, inches (assembled to handle)
YA145-1 Straight Tip Pick	7 1/4
YA145-2 O-Ring, 90° Tip Pick	7 1/4
YA145-3 Hook Tip Pick	7 5/16
YA145-4 Angle Tip Pick	7 3/8

YA149 Pick and Probe Set.

- Includes (5) 5 1/2" single ended and (2) 7" double ended probes made of tempered stainless steel



YA149

Set Contains: YA145 YA149			
Description	Stock No.		
Straight Pick	YA145-1	•	
90° Pick	YA145-2	•	
Hook Pick	YA145-3	•	
Angle Pick	YA145-4	•	
Straight Pick	YA149-1		•
90° Curved Pick	YA149-2		•
45° Flat Pick	YA149-3		•
90° Pointed Pick	YA149-4		•
Double End Short Pick	YA149-5		•
Double End Long Pick	YA149-6		•
Half Circle Pick	YA149-7		•

YA338 Scribe.

- One straight end, one end hooked for picking O-rings and small parts

YA339 Scribe.

- One end is straight, the other has a 90° angle for detail work around small objects



YA338



YA339



SH6ASA

Awl/Hard Grip

Stock No.	Blade Length, inches	Overall Length, inches
SH6ASA	4 3/4	6 5/8



PSLR4



PSLR6

Picks and Scribes/Extra Long (Blue-Point®)

- Use to separate wires, remove small fuses and O-rings, retrieve washers and loose parts too small to pick up with fingers or to mark metal or plastic surfaces
- Heavy duty shank diameter is 0.02" thicker than standard picks for added durability and extended tool life
- Each pick is 9 3/4" (247.7 mm) long

Set Contains: PSLR4 PSLR6			
Description	Stock No.		
Hook Pick	PSLR4-1	•	•
90° Hook Pick	PSLR4-2	•	•
Straight Pick	PSLR4-3	•	•
Complex Pick	PSLR4-4	•	•
Combo Pick	PSLR4-5		•
Double Angle Pick	PSLR4-6		•

PSLR4 Extra Long Pick Set. Includes PSLR4-1 to PSLR4-4 (4 pcs) in vinyl storage pouch.

PSLR6 Extra Long Pick Set. Includes PSLR4-1 to PSLR4-6 (6 pcs) in vinyl storage pouch.



PSLR4LT

Picks and Scribes/Extra Long/Lighted (Blue-Point)

- LED lighted hook and pick set allows easier viewing in dark and hard to reach areas
- Made of durable carbon heat treated steel
- Ergonomic soft grip contoured handle
- Each pick measures 9-3/4 inches long (247.7 mm)
- Push button LED switch on end of handle
- Each pick requires (3) LR41 batteries (included). Replacement battery P/N RSND384392PK (1 battery)

Set Contains: PSLR4LT		
Description	Stock No.	
Hook Pick	PSLR4LT-1	•
90° Hook Pick	PSLR4LT-2	•
Straight Pick	PSLR4LT-3	•
Complex Pick	PSLR4LT-4	•

Heavy Duty/Striking Crown Handle

- Durable crown handle offers protection from off center hammer strikes
- Handle is 10 3/8" long for a comfortable, secure grip (long handle ensures that two hands can fit for high leverage applications)
- Cylindrical design with taper allows user to find a comfortable grip regardless of hand size
- 3/4" square bar manufactured from special alloy steel, precision forged and heat treated for optimum strength and durability
- High leverage flared tip (1 1/8") with precision ground edge
- Handle resists extreme temperatures



SPBH48R

Stock No	Handle Color	Sq. Shank, inches	Tip Width, inches	Length, inches
SPBH30R	Red	3/4	1 1/8	30
SPBH30O	Orange	3/4	1 1/8	30
SPBH30G	Green	3/4	1 1/8	30
SPBH48R	Red	3/4	1 1/8	48
SPBH48O	Orange	3/4	1 1/8	48
SPBH48G	Green	3/4	1 1/8	48
SPBH54R	Red	3/4	1 1/8	54
SPBH54O	Orange	3/4	1 1/8	54
SPBH54G	Green	3/4	1 1/8	54

Standard Duty/Striking Handle

- Ergonomic shape and contour handle matched to blade length for optimum leverage
- Blade extends through handle and makes contact with end cap to provide solid striking force
- Metal end cap allows hammer striking while reducing chance of damage to handle
- High leverage design with smooth radius head provides maximum leverage when lifting and pulling back
- Blade manufactured from special alloy steel, precision forged and heat treated for strength and durability
- Industrial finish to protect against corrosion



SPBS704R

Stock No.	Color	Sq. Shank, inches	Tip Width, inches	Length, inches	Set Contains:			
					SPBS704	SPBS704R	SPBS704O	SPBS704G
SPBS8	Black	1/4	7/16	8	•			
SPBS8R	Red	1/4	7/16	8		•		
SPBS8O	Orange	1/4	7/16	8			•	
SPBS8G	Green	1/4	7/16	8				•
SPBS12	Black	3/8	5/8	12	•			
SPBS12R	Red	3/8	5/8	12		•		
SPBS12O	Orange	3/8	5/8	12			•	
SPBS12G	Green	3/8	5/8	12				•
SPBS18	Black	7/16	23/32	18	•			
SPBS18R	Red	7/16	23/32	18		•		
SPBS18O	Orange	7/16	23/32	18			•	
SPBS18G	Green	7/16	23/32	18				•
SPBS24	Black	7/16	13/16	24	•			
SPBS24R	Red	7/16	13/16	24		•		
SPBS24O	Orange	7/16	13/16	24			•	
SPBS24G	Green	7/16	13/16	24				•
SPBS36	Black	5/8	1 1/8	36 5/8				
SPBS36R	Red	5/8	1 1/8	36 5/8				
SPBS36O	Orange	5/8	1 1/8	36 5/8				
SPBS36G	Green	5/8	1 1/8	36 5/8				
SPBS42R	Red	5/8	1 1/8	42 1/4				
SPBS42O	Orange	5/8	1 1/8	42 1/4				

Standard Pry Bar Handle Colors



Black Red Orange Green

No Suffix R O G

ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS



WARNING



• Read safety precautions on pages W1 to W4

PRYBARS

Prybars



SPDC18R



MPBS11400

Striking/40° Offset Blade

Stock No.	Handle Length, Inches	Exposed Bar Length, Inches	Sq. Shank Inches	Tip Width, Inches	Tip Type
MPBS11400	5 1/2	5 1/2	3/8	3/8	Straight

MPBS11400 Prybar/Brake Tool.

- Strong 3/8" square alloy steel bar with straight tip
- 11" total length with 40° offset ensures access into tight wheel wells
- Large, comfortable, high visibility orange handle with striker cap allows good grip versus small, hard to hold brake adjustment tools
- Ideal for general prybar applications



MPBS703

Striking/Straight Blade

Set Contains: MPBS703

Stock No	Sq. Shank, inches	Tip Width, inches	Length, inches	
MPBS12	3/8	5/8	12	•
MPBS24	7/16	13/16	24	•
MPBS36	5/8	1 1/8	36 5/8	•



PBN500



PBN1

Demolition Chisels/Crown Handle

- Exclusive crown handle offers protection from off center hammer strikes
- Handle provides a comfortable secure grip in a variety of environments
- Engineered composite handle offers excellent temperature resistance and bar retention

Stock No.	Handle Color	Hex Shank, inches	Tip Width, inches	Length, inches
SPDC18R	Red	3/4	1 1/8 Double Edge	18
SPDC18G	Green	3/4	1 1/8 Double Edge	18
SPDC18O	Orange	3/4	1 1/8 Double Edge	18



PBMP36A



PBMP703A

Multiposition

- Each prybar features 17 incremental angles of 15° to provide great flexibility
- High leverage design with smooth radius head provides maximum leverage when lifting
- Manufactured from special alloy steel, precision forged and heat treated for strength and durability
- Industrial finish helps protect against corrosion

Set Contains: PBMP703A

Stock No.	Tip Width, Inches	Length, Inches	
PBMP8A	1/2	8	•
PBMP12A	5/8	12	•
PBMP16A	5/8	16	•
PBMP24A	1	24	
PBMP36A	1	36	

Nonmarring Prybars

- Made from tough, reinforced nylon
- Ideal for removing clips, fasteners, molding or gaskets from interior/exterior applications
- Will not damage delicate surfaces unlike metal removal tools
- Lightweight and resistant to most automotive fluids
- Block end allows use with hammer

Set Contains: PBN500

Stock No.	Length	Tip Width	Tip Profile	
PBN1	6 3/4	5/8	Narrow Wedge	•
PBN2	6 3/4	15/16	Wide Wedge	•
PBN3	6 3/4	7/8	Narrow Fork	•
PBN5	6 3/4	1 3/16	Wide Fork	•
PBN7	6 3/4	1 3/8	Flat Fork	•



NPB124B

Wrecking Bar (Blue-Point®)

- Slotted claw on “gooseneck” end and a chisel configuration on opposite end

Stock No.	Sq. Stock, inches	Length, inches
NPB124B	3/4	24



3260B

Slate Bar (Blue-Point)

Stock No.	Sq. Stock, inches	Edge, inches	Length, inches
3260B	1	1/2	60



2430C

BLPPB704

Pinch Bars (Blue-Point)

- Pinch bar has a tapered point on one end and a chisel type edge on the other

Stock No.	Sq. Stock, inches	Edge, inches	Length, inches
1412A	1/2	5/8	14
1658C	1/2	5/8	16
2420A	3/4	15/16	20
2430C	3/4	5/8	30
2438C	3/4	7/8	38
2842C	7/8	1	42

BLPPB704 Prybar Set. Includes 1412A (14") and 2420A (20") Pinch Bars, 7031A Close Quarter Bar (16") plus BPPC1878 Flat Chisel (18") (page 184).



UB222PK

Utility Bars (Blue-Point)

UB222PK Miniature Utility Bar.

- 5 3/8" length
- Pack of 10

Prybar Rack

KR294AAPV Hang-On Prybar Rack.

- Hang up to 4 prybars or long tools with handles
- Notched angle plate keeps tools from shifting
- Suspend from roll cab or tool chest with 1/4" or more lip



KR294APV



PBS704



650

Prybars

- “Rolling head” acts as fulcrum and provides leverage
- Pointed end is useful in many aligning applications

Stock No.	Sq. Stock, inches	Length, inches	Set Contains:
650	5/16	6	•
1250	7/16	12	•
1650	9/16	16	•
2050	11/16	20	•



7030A

Close Quarter Bars (Blue-Point)

- Powerful leverage where space is at a premium
- Ideal for aligning molds

Stock No.	Sq. Stock, inches	Tip Width, inches	Length, inches
7030A	3/8	7/16	9
7031A	1/2	9/16	16
7032	5/8	3/4	18



7035

Die Setter Bars (Blue-Point)

- Designed for separating, scraping or prying

Stock No.	Sq. Stock, inches	Tip Width, inches	Length, inches
7035	5/8	7/16	18
7037	3/4	9/16	30



PBHC48

PBGH48

Heavy Duty

- Bars feature a rubber grip that eliminates contact with rust and damaged surfaces, provides a secure gripping surface under a wide range of conditions and protects the bar from damage during transit
- rip offers a non slip surface that provides a secure gripping surface/leverage, when hands are wet, sweaty or oil covered

Stock No.	Tip Style	Weight, lbs.	Radius Curves, inches	Length, inches	Diameter, inches
PBGH48	1 1/2" Offset Chisel, 2 1/4" Offset Claw	9.5	5 1/8	48	1 Hex
PBHC48	1 1/8" Straight Chisel, 2" Offset Chisel	11.25		48	1 Hex
PBHC60	1 1/8" Straight Chisel, 2" Offset Chisel	14.25		60	1 Hex

PBHC1 - 48" Replaceable rubber grip.



WARNING



• Read safety precautions on pages W1 to W4